

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	report\$3 and sap! and (aspect near1 file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/03 15:50
S2	8436	((systems near1 applications near1 products) or sap!)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 11:23
S3	101	((((systems near1 applications near1 products) or sap!)) and (bridg\$3 near3 (program or software or function or application)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/03 15:54
S4	14	(((((systems near1 applications near1 products) or sap!)) and (bridg\$3 near3 (program or software or function or application)))) and (((generat\$3 or creat\$3 or build\$3 or produc\$3 or compos\$3) near4 file) same (dataset or data?set or database or data?base or (data adj warehouse)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/03 15:57
S5	120	((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or format\$4) with (dataset or data?set or database or data?base) with file))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 12:34
S6	1	((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or format\$4) with (dataset or data?set or database or data?base) with (aspect near1 file)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 11:27

S7	1	((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or format\$4) with (dataset or data?set or database or data?base) with file))) and (rollup or roll?up or (roll\$3 near1 (up or down)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 11:28
S8	70	((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or format\$4) with (dataset or data?set or database or data?base) with file))) and @ad<="20010629"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 12:03
S9	81	((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or formatting) with (dataset or data?set or database or data?base) with file)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 12:03
S10	52	((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or formatting) with (dataset or data?set or database or data?base) with file))) and @ad<="20010629"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 12:04
S11	89	((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or conversion or formatting or translat\$3 or transition\$3) with (dataset or data?set or database or data?base) with file)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/04 12:27

S12	39	((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or conversion or formatting or translat\$3 or transition\$3) with (dataset or data?set or database or data?base) with file))) and (rollup or roll?up or (roll\$3 near1 (up or down or back)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/04 12:28
S13	67	((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or conversion or formatting or translat\$3 or transition\$3) with (dataset or data?set or database or data?base) with file))) and (key or keygroup or key?group or keyword or key?word or keyvalue or key?value or keyterm or key?term)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/04 12:29
S14	39	((((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or conversion or formatting or translat\$3 or transition\$3) with (dataset or data?set or database or data?base) with file))) and (rollup or roll?up or (roll\$3 near1 (up or down or back)))) and (((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or conversion or formatting or translat\$3 or transition\$3) with (dataset or data?set or database or data?base) with file))) and (key or keygroup or key?group or keyword or key?word or keyvalue or key?value or keyterm or key?term))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/04 12:29

S15	38	((((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or conversion or formatting or translat\$3 or transition\$3) with (dataset or data?set or database or data?base) with file))) and (rollup or roll?up or (roll\$3 near1 (up or down or back)))) and (((systems near1 applications near1 products) or sap!) and ((program or software or function or application or bridge) same ((generat\$3 or creat\$3 or produc\$3 or convert\$3 or conversion or formatting or translat\$3 or transition\$3) with (dataset or data?set or database or data?base) with file))) and (key or keygroup or key?group or keyword or key?word or keyvalue or key?value or keyterm or key?term)))) and @ad<="20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/04 12:30
S16	9	((systems near1 applications near1 products) or sap!) and (aspect near1 file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 13:47
S17	8	("6151582" "6128602" "6119149" "6098047" "5974395" "5787283" "5475833" "5361199").did.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 17:12
S18	0	((("6151582" "6128602" "6119149" "6098047" "5974395" "5787283" "5475833" "5361199").did.) and (rollup or roll?up or (roll\$3 adj up))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 13:50
S19	2	((("6151582" "6128602" "6119149" "6098047" "5974395" "5787283" "5475833" "5361199").did.) and ((systems near1 applications near1 products) or sap!)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 14:13
S20	0	((("6151582" "6128602" "6119149" "6098047" "5974395" "5787283" "5475833" "5361199").did.) and (aspect adj file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 14:13

S21	5	((("6151582" "6128602" "6119149" "6098047" "5974395" "5787283" "5475833" "5361199").did.) and ((translat\$3 or transform\$7 or conversion or convert\$3) with (file or format)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 14:25
S22	4	((("6151582" "6128602" "6119149" "6098047" "5974395" "5787283" "5475833" "5361199").did.) and ((translat\$3 or transform\$7 or conversion or convert\$3) with (file or format))) and (key or keygroup or key?group or keyvalue or key?value)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 14:26
S23	30	((enterprise or executive) adj information adj system) or eis!) and ((bridge or program or software or application or function or module) same ((filter\$3 or translat\$3 or conversion or convert\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet) with file)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/04 17:15
S24	22	((((enterprise or executive) adj information adj system) or eis!) and ((bridge or program or software or application or function or module) same ((filter\$3 or translat\$3 or conversion or convert\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet) with file)))) and @ad<="20010629"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 08:56
S25	2	((enterprise or executive) adj information adj system) or eis!) same ((filter\$3 or translat\$3 or conversion or convert\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet) with file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 09:11

S26	9	(((((enterprise or executive) adj information adj system) or eis!) same file) and (((filter\$3 or translat\$3 or conversion or convert\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet)) same file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 11:45
S27	482	(((((enterprise or executive) adj information adj system) or eis! or (systems near1 applications near1 products) or sap!) and (((filter\$3 or select\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet)) same file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 15:51
S28	346	(((((enterprise or executive) adj information adj system) or eis! or (systems near1 applications near1 products) or sap!) and (((filter\$3 or select\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet)) same file)) and (key or keygroup or key?group or keyvalue or key?value or keyattribute or key?attribute or keycolumn or key?column))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 15:54
S29	240	(((((enterprise or executive) adj information adj system) or eis! or (systems near1 applications near1 products) or sap!) and (((filter\$3 or select\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet)) same file)) and (key or keygroup or key?group or keyvalue or key?value or keyattribute or key?attribute or keycolumn or key?column)) and ((creat\$3 or generat\$3 or produce? or producing or output or send\$3) near3 (file or intermediate or intermediary))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 11:51

S30	7	((((enterprise or executive) adj information adj system) or eis! or (systems near1 applications near1 products) or sap!) and (((filter\$3 or select\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet)) same file)) and (key or keygroup or key?group or keyvalue or key?value or keyattribute or key?attribute or keycolumn or key?column)) and (((creat\$3 or generat\$3 or produce? or producing or output or send\$3) near3 (file or intermediate or intermediary)) same (((enterprise or executive) adj information adj system) or eis! or (systems near1 applications near1 products) or sap!))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 11:52
S31	122	(((enterprise or executive) adj information adj system) or eis! or (systems near1 applications near1 products) or sap!) and (((filter\$3 or select\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet)) same ((produc\$3 or creat\$3 or generat\$3 or output) near4 (file or intermediate or intermediary)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 15:54
S32	90	((((enterprise or executive) adj information adj system) or eis! or (systems near1 applications near1 products) or sap!) and (((filter\$3 or select\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet)) same ((produc\$3 or creat\$3 or generat\$3 or output) near4 (file or intermediate or intermediary)))) and (key or keygroup or key?group or keyvalue or key?value or keyattribute or key?attribute or keycolumn or key?column)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 15:55

S33	58	(((((enterprise or executive) adj information adj system) or eis! or (systems near1 applications near1 products) or sap!) and (((filter\$3 or select\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet)) same ((produc\$3 or creat\$3 or generat\$3 or output) near4 (file or intermediate or intermediary)))) and ((key or keygroup or key?group or keyvalue or key?value or keyattribute or key?attribute or keycolumn or key?column) with (rollup or roll?up or (roll\$3 adj up) or group\$3 or cluster\$3 or filter\$3 or combin\$3 or select\$3)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 15:56
S34	39	(((((enterprise or executive) adj information adj system) or eis! or (systems near1 applications near1 products) or sap!) and (((filter\$3 or select\$3 or rollup or roll?up or (roll\$3 adj up) or group or combin\$3) with (data or records or dataset or data?set or database or data?base or table or spreadsheet)) same ((produc\$3 or creat\$3 or generat\$3 or output) near4 (file or intermediate or intermediary)))) and ((key or keygroup or key?group or keyvalue or key?value or keyattribute or key?attribute or keycolumn or key?column) with (rollup or roll?up or (roll\$3 adj up) or group\$3 or cluster\$3 or filter\$3 or combin\$3 or select\$3))) and @ad<="20010629"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 17:07
S35	1364	707/101.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 17:07
S36	14	707/101.ccls. and (((enterprise or executive) adj information adj system) or eis! or sap!)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/05 17:08
S37	9843	(707/101 707/100 707/102 707/104\$3 707/10).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 16:16

S38	495	((707/101 707/100 707/102 707/104\$3 707/10).ccls.) and (((enterprise or executive) adj information adj system) or eis! or (systems adj applications adj programs) or sap! or (business near1 (information adj system)) or "reporting tool")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 16:18
S39	36	(((707/101 707/100 707/102 707/104\$3 707/10).ccls.) and (((enterprise or executive) adj information adj system) or eis! or (systems adj applications adj programs) or sap! or (business near1 (information adj system)) or "reporting tool")) and (((transform\$3 or translat\$3 or convert\$3 or conversion or filter\$3 or rollup or roll?up or (roll\$3 adj up)) near3 (database or data?base or dataset or data?set or table or spreadsheet)) same (file or intermediate or intermediary))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/06 16:20
S40	8	sap and "aspect file"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 17:44
S41	6015	(sap! or (systems adj applications adj products)) and (convert\$4 or conversion or translat\$4 or reformat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 17:48
S42	777	(sap! or (systems adj applications adj products)) same (convert\$4 or conversion or translat\$4 or reformat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 17:49
S43	13	S42 and (eis! or (executive adj information adj system))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 15:04
S44	17	S42 and (rollup or roll?up or (roll\$4 adj up))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/16 17:59
S45	16	(eis! or (executive adj information adj system)) and (convert\$4 or conversion or translat\$4 or reformat\$4) and (rollup or roll?up or (roll\$4 adj up))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/18 15:04